

Translation of the original Instructions for Use

Lounger RLX Light



Dear customer,

We would like to take this opportunity to thank you
for purchasing our quality product
and for the trust you have placed in us.
Our product is very robust and, if used properly, has a long life cycle.

GHARLENi

TAKING **WELLNESS** TO THE **NEXT LEVEL**

1. Introduction

Only operate the product in accordance with the intended use as described in this instruction manual.

2. Intended Use

- ❖ The product is a relaxation lounge.
The area of application is in the commercial sector by adults who have received instruction in the use of the product.
The product may only be used by one person at a time.
- ❖ The product may only be used in closed, dry rooms with defined ambient conditions. See chapter 12. CONDITIONS OF TRANSPORT AND STORAGE.
- ❖ Keep children away.
- ❖ Any other use is not permitted and may lead to loss of warranty.

3. Warning symbols used in this instruction manual

⚠ DANGER! indicates a hazardous situation which, if not avoided, will result in immediate danger to life and health.

⚠ CAUTION! indicates a hazardous situation which, if not avoided, may result in malfunction or damage to property.

NOTICE! indicates a hazardous situation which, if not avoided, may result in damage to the product.



For proper and safe use, follow these instructions before initial operation. Keep for future reference.

4. Safety instructions

1. Never rest, stand, or kneel on any part of the lying surface of the product.
Do not exert strong physical forces on the lying surface. Otherwise, you can damage the upholstery permanently. RISK OF DAMAGE!
2. The rating plate must never be made illegible or removed! Non-compliance will invalidate the warranty!

5. Scope of Delivery

- ❖ 1 RLX LIGHT
- ❖ INSTRUCTIONS FOR USE

6. Unpacking

1. Carefully open the top of the cardboard box.
Do not use any sharp objects that could damage the upholstery.
2. Do **not** lift the product but first remove the top cover of the cardboard box.
Then you can pull up the cover and put it aside.
3. Carry the product **only** by its base/supporting structure.

7. Transport and assembly

7.1 Transport

1. When transporting the product, **only** lift it by its base/supporting structure.
2. During transport, **never** lift the product by the lying surface. Otherwise, you could seriously damage the product.
3. Consider the product's weight of 65 kg, so that several people are required for transport. See also chapter 13. TECHNICAL DATA.
4. Consider the dimensions of the product during transport. Narrow corridors, doors or stairs etc. can make transport difficult or impossible.

8. General information

The RLX Light has a fixed position, no electronics whatsoever and is therefore not electrically adjustable.

RLX Light: fixed position	length: 174 cm	width: 66 cm
---------------------------	----------------	--------------

9. Rating plate and QR-Code

- ❖ The rating plate is located inside, on the longitudinal sheet metal, on the right when viewed from the head end.
The first indication on the rating plate is the serial number.
- ❖ The QR-Code is also located inside, on the longitudinal sheet metal, on the right when viewed from the head end.

10. View



1 Base/supporting structure

2 Lying surface

11. Cleaning and Care

11.1 Cleaning the upholstery

- ❖ The upholstery is made of artificial leather.

11.1.1 Cleaning and care of the artificial leather

- ❖ Clean the artificial leather **only** with a soft cloth with a small amount of a **cleaning agent suitable for this material** (also available from Gharieni).

12. Conditions of transport and storage

12.1 Transport

- ❖ When transporting the product, **only** lift it by its base/supporting structure.
- ❖ **Never** lift the product by the lying surface during transport. Otherwise, you can seriously damage the product.
- ❖ When transporting the product, bear in mind the total weight of the product, of approx. 65 kg or 75 kg, so that several people are needed for transport.
- ❖ When transporting the product, **always** consider the dimensions of the product. Narrow corridors, doors or stairs etc. can make transport difficult or impossible.

12.2 Ambient conditions for storage and transport

TEMPERATURE	from -10 °C to +50 °C (ambient temperature)
ATMOSPHERIC PRESSURE	from 700 to 1060 hPa
RELATIVE HUMIDITY	from 20 % to 90 % at +30 °C non-condensing

13. Technical Data

Projection length	174 cm
Width of the lying surface	66 cm
Person weight, maximum	160 kg
Weight	65 kg

❖ Subject to technical changes.

14. Disposal

- 1 The product, accessories and packaging should be recycled in an environmentally friendly manner.
- 2 The product must not be disposed of with household waste.

Gharieni Group

➤ Phone:	+49 (0)2841/88300-0
➤ Fax:	+49 (0)2841/88300-999
➤ Customer service hotline	+49 (0)2841/88300-40
➤ E-Mail:	service@gharieni.com



All materials marked with this symbol are recyclable.



All available information on waste separation can be obtained from your local authorities.

15. Status of Edition

EDITION	DATE
First edition	02.07.2026



THE OWNERSHIP RIGHTS TO THIS INSTRUCTION MANUAL ARE RESERVED. REPRODUCTION OR TRANSFER TO THIRD PARTIES IS PROHIBITED WITHOUT THE CONSENT OF GHARIENI GROUP. GHARIENI GROUP RESERVES THE RIGHT TO PROTECT ITS PROPERTY RIGHTS AND TO PROSECUTE ANY MISUSE.

SALES AND SHOWROOM	PRODUCTION, PICK-UP, AND REPAIR
Gharieni Group GmbH Gutenbergstraße 40 47443 Moers/Germany	Gharieni Group GmbH Am Schürmannshütt 24 47441 Moers/Germany